





Typical application



## Description

Pipe clamp with one connection point, tested according to IEC 62561-1, class "H" (Heavy duty), for connecting solid round Ø6-10mm or stranded conductor 35-70mm<sup>2</sup> to pipe. The clamp is made out of hot dip galvanized steel (St/tZn). The pipe clamp is used in air termination system, down conductor system, equipotential bonding. The tightening is achieved by two hot dip galvanized steel (St/tZn) screws M10x30 mm and hot dip galvanized steel (St/tZn) nuts M10. The connection to conductor is achieved through additional clamp (not included). For copper conductor is needed additionally a bimetallic contact (not included) in order to avoid any electrochemical corrosion.

Description		Raw material	Ød	inch.	Item code
Pipe clamp one point connection		St/tZn	112 - 123	4"	65 01 400
Pipe clamp one point connection		St/tZn	122 - 134	5"	65 01 500
Pipe clamp one point connection		St/tZn	147 - 155	6"	65 01 600
		Title:			
		Pipe clamp one point connection			
FIRST ISSUED	June 2016	Model			
DRAWN BY	Dionysopoulos G.				
CHECKED BY	Kokkinos N.	65 01 xxx			
APPROVED BY	Kokkinos N.	 <a href="http://www.elemko.gr">www.elemko.gr</a>  <a href="mailto:elemko@elemko.gr">elemko@elemko.gr</a>			
SCALE	None				
ISSUANCE DATE	July 2021	SHEET 1 OF 1			

All dimensions in mm